



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

CCTV Cables

Telephone Switchboard Cables

Submersible Cables

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables

 POLYCAB INDIA LIMITED LDC LP No. 14/2020-21 Dtd : 19th March 2021			
POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES			
Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.			
Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	2190	6680	95000
RG - 6	2810	8570	101000
RG - 11	6390	19490	148000
RG-6 CCS	1925	5870	87500
RG-11 CCS	3765	11485	122500
POLYCAB LAN (COMPUTER) CABLES			
Item	UOM	Rate in Rs.	
CAT 5e UTP PVC	305 MTRS.	11045	
CAT 5e UTP FR -PVC	305 MTRS.	11045	
CAT 5e UTP LSZH	305 MTRS.	11755	
CAT 6 UTP PVC (Without Separator)	305 MTRS.	11795	
CAT 6 UTP PVC-FR (Without Separator)	305 MTRS.	11795	
CAT 6 UTP LSZH (Without Separator)	305 MTRS.	12725	
CAT 6 UTP PVC (With Separator)	305 MTRS.	11955	
CAT 6 UTP PVC-FR (With Separator)	305 MTRS.	11955	
CAT 6 UTP LSZH (With Separator)	305 MTRS.	12975	
CAT 6A UTP PVC	305 MTRS.	14450	
CAT 6A UTP PVC-FR	305 MTRS.	14450	
CAT 6A UTP LSZH	305 MTRS.	15500	
CAT 6 UTP DJ (PVC-PE)	305 MTRS.	14175	
CAT 6 UTP DJ (PVC-PE) with Anti Rodent	305 MTRS.	14175	
CAT 6 UTP DJ (PVC-LSZH)	305 MTRS.	14435	
CAT6A FTP FR PVC	305 MTRS.	16070	
CAT6A FTP LSZH	305 MTRS.	17045	
CAT6A SFTP FR PVC	305 MTRS.	26765	
CAT6A SFTP LSZH	305 MTRS.	26765	
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	99000	
CAT6 STP- Armoured / Flexible Armoured	1000 MTRS.	111000	
POLYCAB CCTV CABLES			
CCTV 3+1	90 MTRS.	4250	
CCTV 4+1	180 MTRS.	4770	
CCTV 3+1	90 MTRS.	8085	
CCTV 4+1	180 MTRS.	9130	
CCTV 4+1 Armoured	1000 MTRS.	134000	
Page 1 of 12			



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	725	1000	650	900	20
2 Pair	1250	1780	1125	1600	20
3 Pair	1850	2620	1665	2355	16
4 Pair	2370	3435	2130	3090	12
5 Pair	2905	4280	2615	3850	8
10 Pair	5830	8280	5245	7450	1
20 Pair	10885	15750	9795	14175	1
50 Pair		38600			1
100 Pair		75400			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	9250	9720	9055
2.5	14950	15700	14700
4	21900	23100	21500
6	32200	33900	31500
10	54700	57400	
16	85100	89400	
25	133500	140300	
35	183400	192700	



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8320	9375	11300	13300
0.75	24/.2	8	11500	13000	16000	18800
1	32/.2	13	14500	16300	20100	23800
1.5	30/.25	17	20200	23000	28000	33400
2.5	50/.25	24	32200	37700	47100	55400
4	56/.3	30	50600	58800		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	15600	17600	20400	27100
0.75	24/.2	8	21700	24900	29000	37900
1	32/.2	13	27400	31400	37100	49100
1.5	30/.25	17	38700	44200	52100	68300
2.5	50/.25	24	64800	73600	86400	116300

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
mm ²	No/mm		Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	13700	18800
10	80/0.4	75	23000	32000
16	126/0.4	103	34000	39800
25	196/0.4	126	54200	61000
35	276/0.4	152	74000	82000
50	396/0.4	189	103100	113900
70	354/0.5	240	142100	156600
95	484/0.5	297	192800	201200
120	608/0.5	346	243700	254400
150	750/0.5	390	304500	318100
185	925/0.5	460	371500	383300
240	1210/0.5	552	482800	505300
300	1527/0.5	640	601800	635800
400	2036/0.5	753	802800	842500



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1020	24
0.75	24/.2	8	1455	24
1	32/.2	13	1910	20
1.5	30/.25	17	2770	16
2.5	50/.25	24	4450	12
4	56/.3	30	6860	8
6	84/.3	38	10300	6
10	80/.4	52	17700	1
16	126/.4	70	27600	1
25	196/.4	88	43200	1
35	276/.4	110	60300	1
50	396/.4	145	85400	1
70	354/.5	215	124200	1
95	484/.5	260	164400	1
120	608/.5	305	210900	1
150	750/.5	355	261300	1
185	925/.5	415	322800	1
240	1210/.5	500	424300	1
300	1527/.5	585	537700	1
400	2036/.5	695	717100	1
500			917700	1
630			1157000	1

Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3185	4180	5335	5	6620	7720
4330	5675	7370	5	9310	10900
5250	7030	9090	5	12100	13400
6720	9365	12200	5	16100	18500
10700	14900	19500	4	26100	30200
16600	23300	30500		42300	46700
24000	34600	45500		61800	72000
41700	58000	76500		107100	125800
66700	88600	116300		171200	
109400	148000	195800		268300	
151600	207100	271800		371400	
227000	296700	386900		539900	
306900	430000	566400		744700	
	564900	747000			
	723600	947800			
	953100	1265800			
	1152700	1524900			
	1516000	2004500			
	1883800	2385600			
	2501800	3180800			



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8950	10100	12200	14300
0.75	24/.2	8	12400	13900	17200	20300
1	32/.2	13	15700	17500	21600	25500
1.5	30/.25	17	21100	24000	29500	35000
2.5	50/.25	24	33900	39600	49300	58100
4	56/.3	30	53100	61800		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	16700	19000	21900	29100
0.75	24/.2	8	23400	26800	31200	40800
1	32/.2	13	29500	33800	39900	52800
1.5	30/.25	17	40800	46400	54800	71800
2.5	50/.25	24	68000	77300	90600	122200

		POLYCAB INDIA LIMITED					
		LDC LP No. 14/2020-21 Dtd : 19th March 2021					
POLYCAB SOLAR CABLES							
Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618			Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables			Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabilized PVC Sheathed Single Core Solar Cables	
Size in Sq.mm.	Price in Rs./100 Mtr.		Size in Sq.mm.	Price in Rs./100 Mtr.		Size in Sq.mm.	Price in Rs./100 Mtr.
4	8190		4	7315		4	7085
6	11600		6	10500		6	10400
10	19300		10	17900		10	17800
16	29800		16	27800		16	27500
25	46000		25	45100		25	42300
35	63900		35	62400		35	59100
50	91300		50	89100		50	85100
70	128400						
95	168200						
120	213500						
150	266800						
185	326600						
240	429700						
300	539100						
POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)							
Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)							
Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm		
2	5875	6875	8100	10400	16000		
3	7310	8970	10600	14100	22200		
4	8975	11100	13400	18300	28400		
5	10500	13100	16000	21900	34500		
6	12300	15300	19100	26000	41400		
7	13500	17200	21200	29400	46700		
8	15600	19600	24100	33100	53300		
10	19100	23900	29700	41200	66100		
12	21900	27900	35100	48600	78000		
14	25000	32200	40300	55800	90300		
16	28200	36600	45500	63900	106000		
19	32800	42600	53300	74900	122800		
24	40900	53600	67400	94500	153800		
Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums							
Note : 4% Extra Charges for Drum Packing							
Page 7of 12							



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	8400	9300	10800	13400	19600	33400	43100	77300	115400		
3	9900	11700	13400	17800	26300	41700	59900	96100	136100	233900	310400
4	11800	14500	17600	22100	33600	50700	71700	138100	186100	320300	415800
5	14600	19100	23300	26800	40000						
6	15800	20700	24800	30700	48400						
7	17400	22700	26600	36300	51300						
8	20200	26300	33900	42300	63100						
10	23400	31400	39400	51500	76600						
12	26600	35800	43900	56200	85500						
14	31000	43900	56800	75600	102300						
16	35200	56500	60500	83100	118800						
19	42300	65900	72500	99800	147900						
24	48900	71100	84600	124000	177000						



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor, PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	8700	10400	11500	14400	20500	29400	40200
3	10400	12700	14700	18300	27000	39700	55800
4	12400	15200	17800	23400	34200	50800	72000
5	14400	18100	21600	27900	41400		
6	16400	21000	24800	32200	48400		
7	17600	23100	27400	35600	54400		
8	20200	26000	30800	41200	62200		
10	24100	31600	37800	50100	76800		
12	27700	36600	43500	58500	90100		
14	31600	41400	49500	67100	103600		
16	35100	46700	56100	75400	117500		
19	40000	53800	65300	88400	137600		
24	51500	68200	81700	110500	172200		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	65200	96900	146800	199600	282800	387700	517100
3	91100	136900	209400	285700	405500	559100	748000
4	118600	179100	276000	376500	534700	737700	987800

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	1970	23/38	1540	0.5 Sq.mm	1900	1.5 Sq.mm	4950
40/36	3125	40/38	2395	0.75 Sq.mm	2735	2 Sq.mm	7630
70/36	5410	70/38	3775	1 Sq.mm	3395	2.5 Sq.mm	7835

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	34800
25	160	796/0.2	51900
35	230	1115/0.2	73300
50	400	703/0.3	104100
70	600	999/0.3	145300
95	700	1346/0.3	196200
120	1100	1699/0.3	242600



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS
SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS
694

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	645
2.5	1020
4	1445
6	1985
10	3320
16	4870
25	7530
35	10400
50	11700
70	15300
95	27200

POLYCAB PVC INSULATED AND SHEATHED TWIN CORE FLAT & THREE
CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID
ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	3540
2 Core	4	4735
2 Core	6	6275
2 Core	10	9140
2 Core	16	13200
3 Core	2.5	5210
3 Core	4	6865
3 Core	6	8030
3 Core	10	14950
3 Core	16	19800
4 Core	2.5	6400
4 Core	4	8970
4 Core	6	12700
4 Core	10	18700
4 Core	16	24800



POLYCAB INDIA LIMITED

LDC LP No. 14/2020-21 Dtd : 19th March 2021

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	58	73	89	118	193	295
4	75	97	118	162	254	396
5	108	141	178	233	369	550
6	128	173	215	275	442	664
7	148	196	248	318	514	770
8	169	224	281	366	589	886
9	195	265	330	421	683	1010
10	218	290	359	475	753	1124
12	256	344	430	550	898	1342
14	311	402	505	655	1052	1669
16	351	466	584	747	1209	1916
18	386	514	653	833	1342	2122
24	526	695	883	1139	1805	2851

**POLYCAB INDIA LIMITED**

LDC LP No. 14/2020-21 Dtd : 19th March 2021

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	19.40
20	0.556	25.20
18	0.966	37.40
16	1.17	44.30
14	2.05	67.80
12	3.22	99.00
10	5.33	140.00
8	8.76	217.00
6	13.30	322.00
4	21.50	508.00
2	33.30	779.00
1	40.70	942.00
0	53.00	1224.00
00	68.30	1558.00
000	84.20	1931.00
0000	109	2482.00